

2602 S. 24th Street . Phoenix, AZ 85034 Tel 602 759 1245 . Fax 602 759 8331 . www.CyrexLabs.com **ACCESSION #: 20-198270 REQUISITION #:** T10200857 SAMPLE TYPE: Serum

DOCTOR / PATIENT ID:

DATE RECEIVED: 12/16/2020 **DATE OF REPORT: 12/30/2020**

DATE COLLECTED: 12/14/2020

PAGES: 1 of 1

PRACTITIONER

DEMODR, DEMODR TEST

2602 S. 24th St Phoenix, AZ 85034

PATIENT

REPORT, SAMPLE Name:

DOB: 11/23/1970

Gender: F

TEST	RESULT			
Array 5 – Multiple Autoimmune Reactivity Screen **	IN RANGE (Normal)	EQUIVOCAL*	OUT OF RANGE	REFERENCE (ELISA Index)
Parietal Cell + ATPase	<0.50			0.0-2.2
Intrinsic Factor	0.26			0.0-2.5
ASCA + ANCA	0.46			0.4-1.6
Tropomyosin	0.92			0.0-3.0
Thyroglobulin	0.76			0.5-2.0
Thyroid Peroxidase			>2.30	0.0-2.1
21-Hydroxylase (Adrenal Cortex)	0.74			0.6-1.9
Myocardial Peptide	0.81			0.0-1.9
Alpha-Myosin	0.35			0.6-2.0
Phospholipid			1.83	0.4-1.7
Platelet Glycoprotein	0.76			0.6-1.8
Ovary/Testis ***	0.43			0.6-1.8
Fibulin	0.68			0.4-1.3
Collagen Complex	0.17			0.2-1.5
Arthritic Peptide	0.22			0.0-1.7
Osteocyte	1.21			0.7-2.0
Cytochrome P450 (Hepatocyte)	1.27			0.8-2.3
Insulin + Islet Cell	0.59			0.5-1.9
Glutamic Acid Decarboxylase 65	0.70			0.4-1.9
Myelin Basic Protein	0.80			0.6-1.7
Asialoganglioside	0.78			0.6-1.6
Alpha-Tubulin + Beta-Tubulin	1.86			0.0-2.7
Cerebellar		1.30		0.4-1.5
Synapsin	0.65			0.0-2.1

^{***} Ovary and Testis are tested together to avoid any confusion arising out of potential cross-reactivity

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis of any disease. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. This test is a "lab developed test" and therefore not subject to clearance or approval by the US Food and Drug Administration. The names and titles of tests and arrays are for reference purposes only.

^{**} All analytes are tested for IgG and IgA combined.

^{*} Reference ranges are calculated based on the mean ±2 standard deviations (SD). Results > 1 SD, and <2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results >2 SDs are considered out of range, and positive.